



TREMproof[®] Amphibia[™]


*Multi-Layer, Hydro-Reactive Waterproofing Membrane That Self-Heals
and Self-Seals to Resist Water Seepage and Migration*




TREMproof® Amphibia™

Self-Healing Waterproofing Membrane



TREMproof® Amphibia™ is a multi-layer, hydro-reactive waterproofing membrane that is self-healing and self-sealing to resist water seepage and migration.



SELF-REPAIRS PUNCTURES



EASY REPAIRS WITH NO LEAKAGE




SELF-ADHERES TO CONCRETE



EASY TO SEAL / OVERLAP

PRODUCT OVERVIEW



TIGHT BARRIER

Watertight layer is highly resistant to hydraulic load

CORE

Expanding safety layer self-seals and self-heals punctures

ACTIVE BARRIER

Hydro-reactive layer for self-sealing overlaps

GRIP

Non-woven geotextile layer fastens to concrete

FEATURES & BENEFITS

TREMPROOF® AMPHIBIA FEATURE	USER AND PROPERTY BENEFIT
Self-healing, self-sealing and self-repairing capabilities	Immediate protection & less time for repair work, including around nails and fasteners
Active layer self-seals overlaps	Resists lateral migration of water
Impermeable EPDM membrane	Resistant to hydraulic load, acceptable for use in hydrostatic conditions
Non-woven geotextile layer	Allows for integral adhesion to concrete
Exceptional elongation and crack-bridging	Delivers extreme durability & flexibility
Can be exposed to weather & construction elements	Offers project schedule flexibility
Resists aggressive natural ground agents, and usable in the presence of salt water	Expands its use in a variety of jobsite conditions
Can be applied in cold temperatures	Expands time window of installation
Compatible with Tremco TREMProof®, ExoAir® and TREMDrain® solutions	Provides a continuous building envelope

PRODUCT APPLICATIONS

- Lagging/retaining walls in blindside applications
- Below slab-on-grade applications
- Buried forms such as elevator pits
- Water tanks, water and sewage treatment plants

PRODUCT DETAILS & ACCESSORIES

ITEM	SKU	DIMENSIONS	WEIGHT	AREA	PACKAGING	QTY./PALLET
TREMProof Amphibia Membrane <i>(Large)</i>	601000 503	5.91' x 65.6' (1.8 m x 20 m)	130 lbs. (59 kg)	387.5 ft. ² (36 m ²)	Polybag wrap	20
TREMProof Amphibia Membrane <i>(Small)</i>	603000 503	2.95' x 32.8' (0.9 m x 10 m)	33 lbs. (15 kg)	96.9 ft. ² (9 m ²)	Carton	36
TREMProof Amphibia Grip Tape	604000 503	2.36" x 65.6'	4.3 lbs.	65.5 LF	Carton	N/A



*Dymonic[®], ExoAir[®], Spectrem[®], TREMDrain[®], TREMproof[®], Tremco[®], and Vulkem[®] are registered trademarks of Tremco Incorporated.
Use of the [®] symbol indicates registration with the US Patent & Trademark Office and the Canadian Intellectual Property Office.*



is part of the Tremco Construction Products Group

3735 Green Road, Beachwood, OH 44122
Phone: 216.292.5000 • 800.321.7906

220 Wicksteed Avenue, Toronto, ON M4H 1G7
Phone: 416.421.3300 • 800.363.3213

www.tremcosealants.com



Construction Products Group

The Tremco Construction Products Group (CPG) represents the combined power of Dryvit Systems, Inc., NewBrick, Nudura, Tremco Barrier Solutions, Willseal, and Tremco Incorporated's Commercial Sealants & Waterproofing and Roofing & Building Maintenance Divisions -- in addition to affiliate The Euclid Chemical Company.

Our products and services empower teams to develop, design, engineer and operate structures that are more efficient to build and maintain, are virtually impervious to the elements and can provide any look desired.